			<u> </u>
	Application No.	Applicant(s)	
AL CO. CALL LING	10/705,458	WOO ET AL.	10
Notice of Allowability	Examiner	Art Unit	1
	Marc E. Norman	3744	<u> </u>
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apportant or other appropriate communication GHTS. This application is subject to	plication. If not include will be mailed in due	ded e course. THIS
1. \boxtimes This communication is responsive to <u>application filed 12 No.</u>	ovember 2003.		
2. The allowed claim(s) is/are <u>1-22</u> .			
3. \boxtimes The drawings filed on <u>12 November 2003</u> are accepted by	the Examiner.		
 4.	been received. been received in Application No cuments have been received in this of this communication to file a reply IENT of this application. itted. Note the attached EXAMINER as reason(s) why the oath or declara it be submitted. con's Patent Drawing Review (PTO- as Amendment / Comment or in the Comment or in the Comment of BIOLOGICAL MATERIAL resist of BIOLOGICAL MATERIAL resists of BIOLOGICAL materials and section of the declaration of the de	complying with the research of the following with the research of the foot (not the d).	equirements NOTICE OF
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal P 6. Interview Summary Paper No./Mail Dat 7. Examiner's Amendr 8. Examiner's Stateme 9. Other	(PTO-413), le nent/Comment	·

Application/Control Number: 10/705,458

Art Unit: 3744

REASONS FOR ALLOWANCE

Claims1-22 are allowed.

The following is an examiner's statement of reasons for allowance:

As per independent claim 1, the prior art does not teach an air conditioner comprising the combination of a plurality of compressors, plurality of discharging pipes, plurality of introducing pipes, and oil separator as recited, and further comprising at least one auxiliary indoor unit including an indoor heat exchanger detachably attached to the outdoor unit. As per independent claim 9, the prior art also further does not teach the expansion distributor as recited.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marc E. Norman whose telephone number is 703-305-2711 until 18 November 2004, after which it will be 571-292-4812. The examiner can normally be reached on Mon.-Fri., 8:00-5:30, with first Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Denise Esquivel can be reached on 703-308-2597. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/705,458

Art Unit: 3744

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Page 3

MN

MARC NORMAN PRIMARY EXAMINER